

**5 jaar**  
**CAPTURE group**

# CAPTURE group



**Dr. B. Broekman (Birit)**

OLVG / AMSTERDAM UMC (VUMC)

Psychiater  
OLVG



**Dr. M.G. van Pampus (Mariëlle)**

OLVG

Gynaecoloog-perinatoloog  
Voorzitter CAPTURE-groep



**Dr. C.A.I. Stramrood (Claire)**

OLVG

Gynaecoloog  
Post-doc onderzoeker



**Prof.dr. A. de Jongh (Ad)**

AMSTERDAM UMC (VUMC) / ACTA AMSTERDAM

GZ-psycholoog  
Hoogleraar angst- en gedragsstoornissen



**Prof.dr. M. Olf (Miranda)**

AMSTERDAM UMC (AMC) / ARQ

Psycholoog  
Hoogleraar PTSS



**Prof.dr. J.A.M. vd Post (Joris)**

AMSTERDAM UMC (AMC)

Gynaecoloog-perinatoloog  
Hoogleraar Obstetrie



**M.E. van Steijn (Minouk)**

FLEVO ZIEKENHUIS ALMERE

Gynaecoloog in opleiding  
Arts-onderzoeker



**M.A.M. Baas (Melanie)**

ISALA ZWOLLE

Psycholoog, arts-onderzoeker,  
arts gynaecologie en verloskunde



**K.W.F. Scheepstra (Karel)**

AMSTERDAM UMC (AMC)

Psychiater  
Arts-onderzoeker



**Y.M.G.A. Hendrix (Yvette)**

OLVG

ANIOS gynaecologie  
Arts-onderzoeker



**M.A.T. Sier (Misha)**

FRANCISCUS GASTHUIS ROTTERDAM

ANIOS chirurgie  
Arts-onderzoeker

# CAPTURE group 2015 - 2020

16 studies

OptiMUM

Ipad

HEAR

Perceive

VIP

Zwanger tijdens Corona

WATER verloskundigen

WATER gynaecologen

WATER kinderartsen

WATER orthopedisch chirurgen

WATER psychiaters

TEACH 1&2

TEACH 3

STAR verloskundigen

STAR gynaecologen

INSPIRE

# CAPTURE group 2015 - 2020

Prevalence of depression, anxiety, posttraumatic stress disorder and adverse events on the work-floor: a cross-sectional study among Dutch medical specialists.

Scheepstra KWF, Pauw HS, van Steijn ME, Stramrood CAI, Olff M, van Pampus MG

A Subsequent Childbirth after a Previous Traumatic Birth Experience: Women's Choices and Evaluations.

Holopainen A, Stramrood CAI, van Pampus MG, Hollander MH, Schuengel C  
*Br J Midwifery* 2020 (in press)

The effects of PTSD treatment during pregnancy: Systematic review and case study

Baas MAM, van Pampus MG, Braam L, Stramrood CAI, de Jongh A

*Eur J Psychotraumatology* 2020 11:1, 1762310

Exploring the impact of work-related potential traumatic events among Dutch psychiatrists

Scheepstra KWF, van Lent EM, Lok A, Olff M, van Pampus MG

*Psychiatry Res* 2020 Jun;288:112981

Severe postpartum hemorrhage causes posttraumatic stress disorder.

van Steijn ME, Scheepstra KWF, Zaat TR, van Rooijen DE, Stramrood CAI, Dijkman LM, Valkenberg-van

den Berg AW, Wiltenburg W, van der Post JAM, Olff M, van Pampus MG

*J Psychosom Obstet Gynecol* 2020 DOI: 10.1080/0167482X.2020.1735343

Internet usage of women attempting pregnancy and pregnant women in the Netherlands.

Jacobs EJA, van Steijn ME, van Pampus MG.

*Sex Reprod Healthc.* 2019 Oct;21:9-14. doi: 10.1016/j.srhc.2019.04.005. Epub 2019 Apr 23.

Effects of psychological treatment of mental health problems in pregnant women to protect their offspring: randomised controlled trial.

Burger H, Verbeek T, Aris-Meijer JL, Beijers C, Mol BW, Hollon SD, Ormel J, van Pampus MG, Bockting CLH

*Br J Psychiatry.* 2019 Dec 6:1-7. doi: 10.1192/bjp.2019.260

What If Pregnancy Is Not Seventh Heaven? The Influence of Specific Life Events during Pregnancy and

Delivery on the Transition of Antenatal into Postpartum Anxiety and Depression.

Aris-Meijer J, Bockting C, Stolk R, Verbeek T, Beijers C, van Pampus M, Burger H.

*Int J Environ Res Public Health.* 2019 Aug 9;16(16). pii: E2851. doi: 10.3390/ijerph16162851

The oxytocinergic system in PTSD following traumatic childbirth: endogenous and exogenous oxytocin in the peripartum period.

Witteveen AB, Stramrood CAI, Henrichs J, Flanagan J, van Pampus MG, Olff M

*Archives of Womens Mental Health.* 2019 Aug 6. doi: 10.1007/s00737-019-00994-0

Low socioeconomic status increases effects of negative life events on antenatal anxiety and depression.

Verbeek T, Bockting CLH, Beijers C, Meijer JL, van Pampus MG, Burger H.

*Women and Birth.* 2019 Feb;32(1):e138-e143. doi: 10.1016/j.wombi.2018.05.005. Epub 2018 Jun 7.

Posttraumatic stress disorder in partners following severe postpartum haemorrhage: A prospective cohort study.

van Steijn ME, Scheepstra KWF, Zaat TR, van der Post JAM, Olff M, van Pampus MG.

*Women and Birth* 2019 Jul 13

Value-based Health Care in Obstetrics: A practical approach to improving value for patients.

van den Berg K, Dijkman LM, Keus S, Scheele F, van Pampus MG

*J Evaluation in Clinical Practice* 2019 Jun 13

Treatment of posttraumatic stress disorder following childbirth

de Bruijn L, Stramrood CAI, Lambregtst-van den Berg M, Rius Ottenheim N

*J Psychosom Obstet Gynaecol.* 2019 Jun 4:1-10

Traumatic experiences and the midwifery profession; a cross-sectional study among Dutch midwives.

Kerkman T, Dijkman LM, Baas MAM, Evers R, van Pampus MG, Stramrood CAI

*J Midwifery Womens Health* 2019 Mar 19. doi: 10.1111/jmwh.12946.

Occupational well-being in pediatricians – a survey about work-related posttraumatic stress, depression, and anxiety.

van Steijn ME, Scheepstra KWF, Yasar G, Olff M, de Vries MC, van Pampus MG

*European Journal of Pediatrics* 2019 Feb 19. doi: 10.1007/s00431-019-03334-7

Mental-health, coping and support following adverse events on the work-floor: a cross-sectional study among Dutch orthopaedic surgeons.

Midwives' practices and knowledge about fear of childbirth and postpartum posttraumatic stress disorder.

de Vries NE, Stramrood CAI, Slijter LM, Sluijs AM, van Pampus MG

*Women and Birth* 2018. <https://doi.org/10.1016/j.wombi.2018.11.014>

Slijter LM, van Steijn ME, Scheepstra KWF, Dijkman LM, Koot HWJ, van Pampus MG.

*Acta Orthopaedica Belgica* 2019 (in press)

Screening for Trauma and Anxiety Recognition: knowledge, management and attitudes amongst gynecologists regarding women with fear of childbirth and postpartum posttraumatic stress disorder.

van Dinter-Douma EE, de Vries NE, Aarts-Greven APM, Stramrood CAI, van Pampus MG

*J Matern Fetal Neonatal Med.* 2018 Dec 18:1-281. doi: 10.1080/14767058.2018.1560409

Impact van en ondersteuning bij tuchtzaken.

Brölmann HAM, Scheepstra KWF, Vermeulen-Meiners C, Vervest HAM, van der Linden PJQ, van Pampus MG

*Ned Tijdschr Obstet Gynaecol* 2018-8, 392-394

Work-related adverse events leaving their mark: a cross-sectional study among Dutch gynecologists.

Baas MAM, Scheepstra KWF, Stramrood CAI, Evers R, Dijkman LM, van Pampus MG.

*BMC Psychiatry* 2018 Mar 22;18(1):73

Posttraumatic stress disorder related to postpartum hemorrhage: A systematic review.

Zaat TR, van Steijn ME, de Haan-Jebbink JM, Olff M, Stramrood CAI, van Pampus MG.

*European Journal of Obstetrics & Gynaecology and Reproductive Biology* 2018 Jun;225:214-220

Preventing posttraumatic stress disorder following childbirth and traumatic birth experiences: A systematic review.

de Graaff LF, Honig A, van Pampus MG, Stramrood CAI.

*Acta Obstetrica et Gynecologica Scandinavica* 2018 Jan 16. doi: 10.1111/aogs.13291

Psychosocial predictors of postpartum posttraumatic stress disorder in Dutch women with a traumatic childbirth experience.

van Heumen MA, Hollander MH, van Pampus MG, van Dillen J, Stramrood CAI

*Frontiers in Psychiatry* 2018 <https://doi.org/10.3389/fpsyg.2018.00348>

Low socioeconomic status increases effects of negative life events on antenatal anxiety and depression.

Verbeek T, Bockting CLH, Beijers C, Meijer JL, van Pampus MG, Burger H.

*Women and Birth* 2018 Jun 7. pii: S1871-5192(18)30130-6.

The OptIMUM-study: EMDR therapy in pregnant women with Posttraumatic Stress Disorder after previous childbirth and pregnant women with fear of childbirth: design of a multicentre randomized controlled trial.

Baas MAM, Stramrood CAI, Dijkman LM, de Jongh A, van Pampus MG.

*European Journal of Psychotraumatology* 2017 8:1, 1293315

Preventing traumatic childbirth experiences: 2192 women's perceptions and views.

Hollander MH, van Hastenberg E, van Dillen J, van Pampus MG, de Miranda E, Stramrood CAI.

*Archives of Women's Mental Health* 2017 May 29. doi: 10.1007/s00737-017-0729-6

Post-traumatic stress disorder in women and their partners, following severe post-partum

hemorrhage: A study protocol for a prospective cohort study.

Scheepstra KWF, van Steijn ME, Dijkman LM, van Pampus MG.

*Cogent Medicine* 2017 4(1)

Increased postpartum haemorrhage, the possible relation with serotonergic and other psychopharmacological drugs: a matched cohort study.

Heller HM, Ravelli ACJ, Bruning AHL, de Groot CJM, Scheele F, van Pampus MG, Honig A.

*BMC Pregnancy Childbirth* 2017 17(1):166

Serum concentrations of psychotropic drugs in neonates as a PROgnOstic Factor for admission to the neonatology ward and withdrawal symptoms: PROOF-1.

Sparla SC, Coppens H, Evers IM, Stramrood CAI, Pasker-de Jong PC, van der Westerlaken MM,

Hogeman PH, Malingré MM.

*International Clinical Psychopharmacology* 2017 May;32(3):142-146

Ingrijpende gebeurtenissen op de werkvloer.

Evers R, Zomer S, Baas MAM, Stramrood CAI, van Pampus MG, Dijkman LM.

*Tijdschrift voor Verloskundigen* 2015 (aug), 6-12

30 publicaties